



Jürgen Weber, 14. Juli 2014

INTERN

Swiss Government PKI

Object Identifiers (OID)

Projektname

Projektnummer

Version **4.1**

Status in Arbeit in Prüfung genehmigt zur
 Nutzung

Beteiligter Personenkreis	
Autoren:	Jürgen Weber
Genehmigung:	PKI Leiter
Benützer/Anwender:	PKI
zur Information/Kenntnis:	

Änderungskontrolle, Prüfung, Genehmigung			
Version	Wann	Wer	Beschreibung
v1.0	18.01.2006	Ramon Keller, Softlab	OIDs aus den Dokumenten zusammengetragen
v1.1	19.01.2006	Johann Wiss, BIT	ePass OIDs ergänzt
v1.3	31.03.2006	Ramon Keller, Softlab	OID für Digitalen Tachographen bei AdminCA-CD-T ergänzt
v1.4	03.04.2006	Johann Wiss, BIT	OIDs für KlasseC-Enterprise
V1.5	11.04.2006	Ramon Keller, Softlab	OID für SSL Organizational Client Policy der AdminCA-CD-T ergänzt
V1.6	03.05.2006	Marcel Suter, Softlab	OID der AdminCA-A-T01 ergänzt
V1.7	11.08.2006	Marcel Suter, Softlab	OID der AdminCA-A-T01 TSA ergänzt
V1.8	22.01.2007	Ramon Keller, Softlab	OID für Klasse C Office Automation Policy der AdminCA-CD-T01 reserviert.
V1.9	23.2.2007	Ramon Keller, Softlab	OID für Klasse C Domain Controller Policy der AdminCA-CD-T01 reserviert.
V1.10	29.8.2007	Ramon Keller, Softlab	OIDs für AgencyIdentifier Extension (AmtsID) in Organisationszertifikaten und OID für sedex organisational Client Policy der AdminCA-CD-T01 reserviert.
V1.11	25.01.2008	Marcel Suter, Cirquent	OIDs Gruppenmailboxen der AdminCA-CD-T01 reserviert.
V1.12	04.02.2008	Ramon Keller, Cirquent	Policy OIDs der vAdminCA-CD-T01 ergänzt
V1.13	04.06.2009	Ramon Keller, Cirquent	Policy OIDs und Extension OIDs für eDoc Systemplattform reserviert
V1.14	05.01.2010	HW Kramer, BIT	Policy OIDs und Extension OIDs für MRTD 10 reserviert
V1.15	21.09.2010	Marcel Suter	Policy OIDs und Extension OIDs für BP Reserviert
V1.16	21.09.2010	Marcel Suter	Policy OIDs für Protocol
V1.17	27.06.2011	Antonio Alessio	Policy OID für SPOC reserviert
V1.18	23.04.2012	Marcel Suter	Policy OID für Enhanced CA 02

V1.19	26.04.2012	Jürgen Weber, BIT	Policy OID für aRegular CA 01 (Acceptance)
V1.20	30.04.2012	Jürgen Weber, BIT	OIDs für ZKV LDAP Attribute Types
V1.21	22.05.2012	Jürgen Weber, BIT	Policy OID für Regular CA 01 (Production)
V1.2	24.09.2012	Marcel Suter, BIT	Policy OID für EnterpriseCC
V1.23	27.03.2013	Marcel Suter, BIT	Policy OID für Authentincation Klasse B MobileID
V1.24	11.10.2013	Pascal Joye, BIT	Policy OID für LRA Station (ab Windows 7 System)
V1.25	20.03.2014	SuMa, BIT	Policy OID ZKV
V1.26	14.04.2014	SuMa, BIT	Policy OID SEDEX
V1.27	14.04.2014	SuMa, BIT	Updated Web SSL OID and removed unused sections
V1.28	18.08.2014	Jürgen Weber, BIT	Added SSL Web client policy Added SSL Web server/client policy
V2.0	18.08.2014	Jürgen Weber, BIT	Updated CI
V2.2	19.09.2014	Jürgen Weber, BIT	Policy OID für RAaaS Server Policy OID für RaaS Client
V2.3	11.12.2014	Jürgen Weber, BIT	Added OID Client Auth (no public trust)
V2.4	27.01.2014	Jürgen Weber, BIT	Added EV SSL policies
V2.5	04.02.2015	Jürgen Weber, BIT	Added Process-Authentication EJPD SSO Portal
V2.6	01.04.2015	Pascal Joye, BIT	Added Standard C-Class Products
V2.7	11.05.2015	Marcel Suter	Added End user CP OIDs for Enhanced CA 02 (Auth/Cipher/Dsig) different from Enhanced CA 01
V2.8	12.05.2015	Robert Dietschi	Added DFS OIDs for Acceptance & Development
V2.9	21.05.2015	Marcel Suter	Added OID Card Printer, BKI
V3.0	19.06.2015	Hans W. Kramer	Added OID Person Authentication/Signature, Person Authentication/Signature/Encryption, Person Signature/Encryption
V3.1	19.06.2015	Hans W. Kramer	Added OID Organization Authentication/Signature, Organization Authentication/Signature/Encryption, Organization Signature/Encryption

V3.2	19.06.2015	Hans W. Kramer	Added OID System Authentication, System Authentication/Signature, System Authentication/Signature/Encryption, System Signature/Encryption
V3.3	15.07.2015	Hans W. Kramer	Added OID Elcom MATCH Client Authentication/Signature
V3.4	10.11.2015	Antonio Alessio	Added OID Organization Signature
V3.5	26.11.2015	Jürgen Weber	Added OID System Signature
V.3.6	08.12.2015	Jürgen Weber	Added EJPD – eSchKG Verbund Added Class C – System Encryption Added SSL CA 01 – Domain Controller
V.3.7	18.02.2016	Alessio Antonio	Added Governikus Core Signature Certificate Added Governikus OSCI Transport Encryption Certificate Added Governikus OSCI Transport Signature Certificate Added Governikus Core Timestamp Certificate
V3.8	29.03.2016	Jürgen Weber	Added Swiss Government Root CA III Added Swiss Government Public Trust Standard CA 02 Added EE CP issued by SG Public Trust Standard CA 02
V3.9	04.04.2016	Jürgen Weber	Added Swiss Government Public Trust EV CA 02 Added EE CP issued by SG Public Trust EV CA 02
V4.0	29.04.2016	Pascal Joye	Added 2 x Code Signing
V4.1	04.05.2016	Jürgen Weber	Added Code Signing OCSP Responder policies

Inhaltsverzeichnis

1	Object Identifiers	6
1.1	Swiss Government PKI Top OID	6
1.2	Subsidiäre Identifier	6
1.3	SG Root CA's	8
1.4	SG Root CA I Sub CA's.....	8
1.5	SG Root CA II Sub CA's.....	10
1.6	SG Root CA III Sub CA's.....	13
1.7	AdminPKI-KlasseC-Enterprise.....	14
1.8	CSCA (Country Signing CA für den ePass 06)	16
1.9	CSCA (Country Signing CA) für das MRTD 10.....	16
1.10	CVCA (Country Verifying CA) für das MRTD 10.....	16
2	AdminPKI BluePrint Top Level OID	18
2.1	AdminPKI BluePrint Top Level OID Production.....	18
2.2	AdminPKI BluePrint Top Level OID Acceptance	18
2.3	AdminPKI BluePrint Top Level OID Reference	18
2.4	AdminPKI TN OID s.....	19
2.5	AdminPKI BluePrint.....	19
2.5.1	AdminPKI BluePrint Entities.....	19
2.5.2	Swiss Government Regular CA 01 (Production)	20
2.5.3	Swiss Government aRegular CA 01 (Acceptance).....	20
2.5.4	LDAP ZKV (Acceptance).....	21
3	Anhang	22
3.1	Tabellenverzeichnis.....	22

1 Object Identifiers

1.1 Swiss Government PKI Top OID

Für das Projekt Swiss Government PKI (SG PKI) ist folgender OID als Top definiert:

2.16.756.1.17.3

Dieser OID wird im Folgenden mit `{id-adminpki}` substituiert.

1.2 Subsidiäre Identifier

Tabelle 1: Toplevel' OIDs

Object Identifier	Certification Authority	Verwendung
<code>{id-adminpki}.1.x</code>	SG Root CA I	Certificate Practise Statements (CPSs) of Swiss Government Root CA I (Produktion) Obsoletes AdminCA-AB-Txx
<code>{id-adminpki}.2.x</code>	SG Sub CAs	Certificate Policies (CPs)
<code>{id-adminpki}.3.x</code>	SG Sub CAs	Certificate Extensions
<code>{id-adminpki}.11.x</code>	SG aRoot CA I	Certificate Practise Statements (CPSs) of Swiss Government Root aCA I (Abnahme) Obsoletes VAdminCA-AB-Txx
<code>{id-adminpki}.12.x</code>	SG Sub aCAs	Certificate Policies (CPs)
<code>{id-adminpki}.13.x</code>	SG Sub aCAs	Certificate Extensions
<code>{id-adminpki}.21.x</code>	AdminCA-CD-Txx	Certificate Practise Statements (CPSs)
<code>{id-adminpki}.22.x</code>	AdminCA-CD-Txx	Certificate Policies (CPs)
<code>{id-adminpki}.23.x</code>	AdminCA-CD-Txx	Certificate Extensions

Object Identifier	Certification Authority	Verwendung
{id-adminpki}.31.x	VAdminCA-CD-Txx	Certificate Practise Statements (CPSs)
{id-adminpki}.32.x	VAdminCA-CD-Txx	Certificate Policies (CPs)
{id-adminpki}.33.x	VAdminCA-CD-Txx	Certificate Extensions
{id-adminpki}.41.x	AdminCA-CD-Exx	Certificate Practise Statements (CPSs)
{id-adminpki}.42.x	AdminCA-CD-Exx	Certificate Policies (CPs)
{id-adminpki}.43.x	AdminCA-CD-Exx	Certificate Extensions
{id-adminpki}.51.x	VAdminCA-CD-Exx	Certificate Practise Statements (CPSs)
{id-adminpki}.52.x	VAdminCA-CD-Exx	Certificate Policies (CPs)
{id-adminpki}.53.x	VAdminCA-CD-Exx	Certificate Extensions
{id-adminpki}.61.x	SG Root CA III	Certificate Practise Statements (CPSs)
{id-adminpki}.62.x	SG Root CA III	Certificate Policies (CPs)
{id-adminpki}.63.x	SG Root CA III	Certificate Extensions

1.3 SG Root CA's

Tabelle 2: SG Sub CA's OIDs

Object Identifier	Typ	Verwendung
{id-adminpki}.1.0	CPS	SG Root CA I Obsoletes: Admin-Root-CA
<i>{id-adminpki}.21.0</i>	<i>CPS</i>	<i>Admin-CA-Class2 - OBSOLETE -</i>
{id-adminpki}.21.1	CPS	SG Root CA II Obsoletes: AdminCA-CD-T01
{id-adminpki}.61.0	CPS	SG Root CA III

1.4 SG Root CA I Sub CA's

Tabelle 3: SG Root CA I Sub CA's OIDs

Object Identifier	Typ	Verwendung
<i>{id-adminpki}.1.1</i>	<i>CPS</i>	<i>Admin-CA1 - OBSOLETE -</i>
<i>{id-adminpki}.1.2</i>	<i>CPS</i>	<i>Admin-CA2 - OBSOLETE -</i>
{id-adminpki}.1.3	CPS	SG Enhanced CA 01 Obsoletes: Admin-CA3
{id-adminpki}.1.4	CPS	SG Qualified CA 01 Obsoletes: AdminCA-A-T01
{id-adminpki}.1.5	CPS	SG Enhanced CA 02
{id-adminpki}.2.0	CP	Test
{id-adminpki}.2.1	CP	Encryption
{id-adminpki}.2.2	CP	Signing
{id-adminpki}.2.3	CP	Authentication / WebRAO
{id-adminpki}.2.4	CP	System
{id-adminpki}.2.5	CP	Authentication (file)

Object Identifier	Typ	Verwendung
{id-adminpki}.2.6	CP	System (file)
{id-adminpki}.2.7	CP	WebRAO (fixed-end)
{id-adminpki}.2.8	CP	WebserverCertAdmin
{id-adminpki}.2.9	CP	System client auth
{id-adminpki}.2.10	CP	Encryption (Admin-CA3)
{id-adminpki}.2.11	CP	Signing (Admin-CA3)
{id-adminpki}.2.12	CP	Authentication (Admin-CA3)
{id-adminpki}.2.13	CP	WebRAO (Admin-CA3)
{id-adminpki}.2.14	CP	WebserverCertAdmin (Admin-CA3)
{id-adminpki}.2.15	CP	Authentication (Admin-CA3 ohne UPN)
{id-adminpki}.2.16	CP	LRA Officer AdminCA-A-T01
{id-adminpki}.2.17	CP	EE Qualified Digital Signature
{id-adminpki}.2.17.1	CP	EE Qualified Digital Signature FreeDN
{id-adminpki}.2.17.2	CP	EE Qualified Digital Signature PreassignedDN
{id-adminpki}.2.17.3.1	CP	EE Qualified Digital Signature PresetDN (eZivi)
{id-adminpki}.2.18	CP	TSA (AdminCA-A-T01)
{id-adminpki}.2.19	CP	SPOC (ePass10)
{id-adminpki}.2.20	CP	Authentication with MobileID
{id-adminpki}.2.30	CP	Authentication Enhanced CA 02 (FUB)
{id-adminpki}.2.31	CP	DSig Enhanced CA 02 (FUB)
{id-adminpki}.2.32	CP	Cipher Enhanced CA 02 (FUB)
{id-adminpki}.2.33	CP	Authentication Enhanced CA 02
{id-adminpki}.2.34	CP	DSig Enhanced CA 02
{id-adminpki}.2.35	CP	Cipher Enhanced CA 02
{id-adminpki}.3.0	Extension	Rechte des WebRAO (PRIV / STD)
{id-adminpki}.3.1	Extension	Webserver Cert Administrator (ServerCert oder e-dec)

1.5 SG Root CA II Sub CA's

Tabelle 4: SG Root CA II Sub CA's OIDs

Object Identifier			Typ	Verwendung
Production	Acceptance	Reference / Development		
{id-adminpki} : 2.16.756.1.17.3				
{id-adminpki}.21.1			CPS	Swiss Government Regular CA 01
{id-adminpki}.21.2			CPS	Swiss Government SSL CA01
{id-adminpki}.21.3			CPS	Swiss Government EV SSL CA01
{id-adminpki}.22.1			CP	SSL Client
{id-adminpki}.22.2			CP	WebRAO
{id-adminpki}.22.3			CP	WebServer
{id-adminpki}.22.4			CP	System
{id-adminpki}.22.5			CP	Codesigning
{id-adminpki}.22.6			CP	System (file)
{id-adminpki}.22.7			CP	System (E-Mail)
{id-adminpki}.22.8			CP	E-Dec
{id-adminpki}.22.9			CP	PKIEntity
{id-adminpki}.22.10			CP	AV (Anwendungsverantwortlicher)
{id-adminpki}.22.11			CP	UPI
{id-adminpki}.22.12			CP	DFS-CA Operator
{id-adminpki}.22.13			CP	DFS-CA Service Admin
{id-adminpki}.22.14			CP	DFS-CA Entity
{id-adminpki}.22.15			CP	DFS-CIA Entity

Object Identifier			Typ	Verwendung
Production	Acceptance	Reference / Development		
{id-adminpki} : 2.16.756.1.17.3				
{id-adminpki}.22.16			CP	DFS-CP Entity
{id-adminpki}.22.17			CP	SSL Organizational Client
{id-adminpki}.22.18			CP	Office Automation Client (Klasse C)
{id-adminpki}.22.19			CP	Microsoft Domain Controller (Klasse C)
{id-adminpki}.22.20			CP	Sedex Organisational Client
{id-adminpki}.22.21			CP	OSCI Infrastructure
{id-adminpki}.22.22			CP	Gruppenmailboxen
{id-adminpki}.22.23			CP	eDoc Systemplattform
{id-adminpki}.22.24			CP	LRA Station
{id-adminpki}.22.25			CP	ZKV Anwendungen
{id-adminpki}.22.26			CP	SSL Web server authentication only
{id-adminpki}.22.27			CP	SSL Web client authentication only
{id-adminpki}.22.28			CP	SSL Web server/client authentication
{id-adminpki}.22.29			CP	RAaaS Server
{id-adminpki}.22.30			CP	RAaaS Client
{id-adminpki}.22.31			CP	Client Auth (no public trust)
{id-adminpki}.22.32			CP	EV SSL Web server authentication only
{id-adminpki}.22.33			CP	EV SSL Web client authentication only
{id-adminpki}.22.34			CP	EV SSL Web server/client authentication
{id-adminpki}.22.35			CP	Process-Authentication EJPD SSO Portal
{id-adminpki}.22.36			CP	Person Authentication
{id-adminpki}.22.37			CP	Organization Authentication
{id-adminpki}.22.38			CP	Card Printer
{id-adminpki}.22.39			CP	Bulk Key Generator

Object Identifier			Typ	Verwendung
Production	Acceptance	Reference / Development		
{id-adminpki} : 2.16.756.1.17.3				
{id-adminpki}.22.40			CP	Person Authentication/Signature
{id-adminpki}.22.41			CP	Person Authentication/Signature/Encryption
{id-adminpki}.22.42			CP	Person Signature/Encryption
{id-adminpki}.22.43			CP	Organization Authentication/Signature
{id-adminpki}.22.44			CP	Organization Authentication/Signature/Encryption
{id-adminpki}.22.45			CP	Organization Signature/Encryption
{id-adminpki}.22.46			CP	System Authentication
{id-adminpki}.22.47			CP	System Authentication/Signature
{id-adminpki}.22.48			CP	System Authentication/Signature/Encryption
{id-adminpki}.22.49			CP	System Signature/Encryption
{id-adminpki}.22.50			CP	Elcom MATCH Client Authentication/Signature
{id-adminpki}.22.51			CP	EV Codesigning
{id-adminpki}.22.52			CP	Organization Signature
{id-adminpki}.22.53			CP	System Signature
{id-adminpki}.22.54			CP	EJPD – eSchKG Verbund
{id-adminpki}.22.55			CP	Class C - System Encryption
{id-adminpki}.22.56			CP	SSL CA 01 – Domain Controller
{id-adminpki}.22.57			CP	Governikus Core Signature Certificate
{id-adminpki}.22.58			CP	Governikus OSCI Transport Encryption Certificate
{id-adminpki}.22.59			CP	Governikus OSCI Transport Signature Certificate
{id-adminpki}.22.60			CP	Governikus Core Timestamp Certificate
{id-adminpki}.22.61			CP	CITES System Dsig, Auth, Enc
{id-adminpki}.23.1			Extension	RDN Suffix

Object Identifier			Typ	Verwendung
Production	Acceptance	Reference / Development		
{id-adminpki} : 2.16.756.1.17.3				
{id-adminpki}.23.2			Extension	PKI Entity Type (CAIFs, CAIFc, OM, KAS, KAO)
{id-adminpki}.23.3			Extension	Registration Officer Rolle (AV, ADMIN)
{id-adminpki}.23.4			Extension	<i>DFS Extensions</i>
{id-adminpki}.23.4.1	{id-adminpki}.33.4.1	{id-adminpki}.23.4.1	Extension	DFS: CA-Operator Mandator ID (CH, FL)
{id-adminpki}.23.4.2	{id-adminpki}.33.4.2	{id-adminpki}.23.4.2	Extension	DFS: CA-Service Admin Mandator ID (CH, FL)
{id-adminpki}.23.4.3	{id-adminpki}.33.4.3	{id-adminpki}.23.4.3	Extension	DFS: CA Mandator ID (CH, FL)
{id-adminpki}.23.4.4	{id-adminpki}.33.4.4	{id-adminpki}.23.4.4	Extension	DFS: CIA Mandator ID (CH, FL)
{id-adminpki}.23.4.5	{id-adminpki}.33.4.5	{id-adminpki}.23.4.5	Extension	DFS: CP Mandator ID (CH, FL)
{id-adminpki}.23.5			Extension	AgencyIdentifier (CH ID: id-adminpki-bv-amtid)
{id-adminpki}.23.6			Extension	OSCI Participant GUID (id-adminpki -osci-guid)
{id-adminpki}.23.7	-	-	Extension	EJPD_SYSP_APPLICANT (eDoc Systemplattform Applicant)
{id-adminpki}.23.8			Extension	SEDEX internal v3 extension

1.6 SG Root CA III Sub CA's

Tabelle 5: SG Root CA III Sub CA's OIDs

Object Identifier			Typ	Verwendung
Production	Acceptance	Reference / Development		
{id-adminpki} : 2.16.756.1.17.3				
{id-adminpki}.61.1			CPS	Swiss Government Public Trust Standard CA 02
{id-adminpki}.61.2			CPS	Swiss Government Public Trust EV CA 02

Object Identifier			Typ	Verwendung
Production	Acceptance	Reference / Development		
{id-adminpki} : 2.16.756.1.17.3				
{id-adminpki}.61.3			CPS	Swiss Government Public Codesigning Standard CA 02
{id-adminpki}.61.4			CPS	Swiss Government Public Codesigning EV CA 02
{id-adminpki}.62.1			CP	Public Trust Standard Server Authentication
{id-adminpki}.62.2			CP	Public Trust Standard Client Authentication
{id-adminpki}.62.3			CP	Public Trust Standard Server/Client Authentication
{id-adminpki}.62.4			CP	Public Trust EV Server Authentication
{id-adminpki}.62.5			CP	Public Trust EV Client Authentication
{id-adminpki}.62.6			CP	Public Trust EV Server/Client Authentication
{id-adminpki}.62.7			CP	Public Trust Standard OCSP Responder Signing
{id-adminpki}.62.8			CP	Public Trust EV OCSP Responder Signing
{id-adminpki}.62.9			CP	Public Trust Code Signing
{id-adminpki}.62.10			CP	Public Trust EV Code Signing
{id-adminpki}.62.11			CP	Public Trust Standard CS OCSP Responder Signing
{id-adminpki}.62.12			CP	Public Trust EV CS OCSP Responder Signing

1.7 AdminPKI-KlasseC-Enterprise

Tabelle 6: AdminPKI-KlasseC-Enterprise

Object Identifier	Typ	Verwendung
{id-adminpki}.41.0	CPS	Admin-C-Root01
{id-adminpki}.41.1	CPS	Admin-CE-Intra01, Admin-CE-EDA01, Admin-CE-EVD01

Object Identifier	Typ	Verwendung
{id-adminpki}.41.2	CPS	KlasseCC-Enterprise (2.16.756.1.17.3.41.2.1)
{id-adminpki}.42.0	Policy	Test
{id-adminpki}.42.1	Policy	Encryption EMail
{id-adminpki}.42.2	Policy	Signing Email
{id-adminpki}.42.3	Policy	DC
{id-adminpki}.42.4	Policy	IPSec
{id-adminpki}.43.0	Extension	

1.8 CSCA (Country Signing CA für den ePass 06)

Tabelle 7: ePass 06 OIDs

Object Identifier	Typ	Verwendung
{id-adminpki}.51.0	CPS	
{id-adminpki}.52.1	CP	CP CSCA
{id-adminpki}.52.2	CP	CP Signing Server, Document Signer
{id-adminpki}.53.1	Extension	

1.9 CSCA (Country Signing CA) für das MRTD 10

Tabelle 8: CSCA/MRTD 10 OIDs

Object Identifier	Typ	Verwendung
{id-adminpki}.61.0	CPS	
{id-adminpki}.62.1	CP	CP/CPS, CSCA, Signing Server, Document Signer, Master-List Signer
{id-adminpki}.62.2	CP	Reserved for future use
{id-adminpki}.63.1	Extension	

1.10 CVCA (Country Verifying CA) für das MRTD 10

Tabelle 9: CVCA/MRTD 10 OIDs

Object Identifier	Typ	Verwendung
-------------------	-----	------------

Object Identifier	Typ	Verwendung
{id-adminpki}.71.0	CPS	
{id-adminpki}.72.1	CP	CP CVCA
{id-adminpki}.72.2	CP	CP DV Document Verifier
{id-adminpki}.73.1	Extension	

2 AdminPKI BluePrint Top Level OID

The OIDs get reorganized in a tree level following the extension v3 depth. They are organized on the same level as they are in the section 1.

Tabelle 10: AdminPKI BluePrint OIDs

Object Identifier	Typ	Verwendung
2.16.756.1.17.3.100	Top Level	AdminPKI BP

2.1 AdminPKI BluePrint Top Level OID Production

The OIDs get numbered all similarly following this value {id-adminpki}.100.0

Tabelle 11: AdminPKI BluePrint OIDs

Object Identifier	Typ	Verwendung
2.16.756.1.17.3.100.0	Top Level	AdminPKI BP Production

2.2 AdminPKI BluePrint Top Level OID Acceptance

The OIDs get numbered all similarly following this value {id-adminpki}.100.1

Tabelle 12: AdminPKI BluePrint OIDs

Object Identifier	Typ	Verwendung
2.16.756.1.17.3.100.1	Top Level	AdminPKI BP Acceptance

2.3 AdminPKI BluePrint Top Level OID Reference

The OIDs get numbered all similarly following this value {id-adminpki}.100.2

Tabelle 13: AdminPKI BluePrint OIDs

Object Identifier	Typ	Verwendung
-------------------	-----	------------

Object Identifier	Typ	Verwendung
2.16.756.1.17.3.100.2	Top Level	AdminPKI BP Reference

2.4 AdminPKI TN OID s

The protocol OIDs for TN.

Tabelle 14: AdminPKI BluePrint OIDs

Object Identifier	Typ	Verwendung
2.16.756.1.17.3.100.3	Top Level	Top Level protocol
2.16.756.1.17.3.100.3.1	X509	X50x types
2.16.756.1.17.3.100.3.1	TN Top Level	Top level types
2.16.756.1.17.3.100.3.2	TN Protocol	Protocol types
2.16.756.1.17.3.100.3.3	TN Types	TN types
2.16.756.1.17.3.100.3.4	X50x types	X50x types

2.5 AdminPKI BluePrint

Tabelle 15: AdminPKI BluePrint OIDs

Object Identifier	Typ	Verwendung
2.16.756.1.17.3.100.x.y	Top Level	All extensions follow depth first numbering at this point

2.5.1 AdminPKI BluePrint Entities

All OIDs that deal with the PKI entities (aka CAO, KAO, etc)

Tabelle 16: AdminPKI BluePrint OIDs

Object Identifier	Typ	Verwendung
{id-adminpki}.100.x.50	Entities	All OIDs that are related to PKI entities. That is, all

Object Identifier	Typ	Verwendung
		internal certificates and tokens that get used within the various components and not necessarily published to the outside world.

Tabelle 17: AdminPKI BluePrint OIDs

Object Identifier	Typ	Verwendung
{id-adminpki}.100.x.50.1	CAO	Represents a CAO in the BP world

2.5.2 Swiss Government Regular CA 01 (Production)

Tabelle 187: Swiss Government Regular CA 01 OIDs

Object Identifier	Typ	Verwendung
{id-adminpki}.100.0.0	CPS	Swiss Government Regular CA 01
{id-adminpki}.100.0.4	CP	System Policy
{id-adminpki}.100.0.8	CP	e-Dec

2.5.3 Swiss Government aRegular CA 01 (Acceptance)

Tabelle 197: Swiss Government aRegular CA 01 OIDs

Object Identifier	Typ	Verwendung
{id-adminpki}.100.1.0	CPS	Swiss Government aRegular CA 01
{id-adminpki}.100.1.4	CP	System Policy
{id-adminpki}.100.1.8	CP	e-Dec
{id-adminpki}.100.1.9	CP	Group Mail Box

2.5.4 LDAP ZKV (Acceptance)

All LDAP Attribute Type OIDs that deal with the ZKV application

Tabelle 208: Swiss Government aRegular CA 01 OIDs

Object Identifier	Typ	Verwendung
{id-adminpki}.100.1.500.1	LDAP	adminEDECContactMail
{id-adminpki}.100.1.500.2	LDAP	adminEDECSerialNum
{id-adminpki}.100.1.500.3	LDAP	adminEDECPC12
{id-adminpki}.100.1.500.4	LDAP	adminEDECCErtCreationDate
{id-adminpki}.100.1.500.5	LDAP	adminEDECCErtRevocationDate
{id-adminpki}.100.1.500.6	LDAP	adminEDECStatus
{id-adminpki}.100.1.500.7	LDAP	adminEDECError

3 Anhang

3.1 Tabellenverzeichnis

Tabelle 1: Toplevel' OIDs	6
Tabelle 2: SG Sub CA's OIDs	8
Tabelle 2: SG Root CA I Sub CA's OIDs	8
Tabelle 4: SG Root CA II Sub CA's OIDs	Fehler! Textmarke nicht definiert.
Tabelle 6: AdminPKI-KlasseC-Enterprise	14
Tabelle 7: ePass 06 OIDs	16
Tabelle 8: CSCA/MRTD 10 OIDs	16
Tabelle 9: CVCA/MRTD 10 OIDs	16
Tabelle 10: AdminPKI BluePrint OIDs.....	18
Tabelle 11: AdminPKI BluePrint OIDs.....	18
Tabelle 12: AdminPKI BluePrint OIDs.....	18
Tabelle 13: AdminPKI BluePrint OIDs.....	18
Tabelle 14: AdminPKI BluePrint OIDs.....	19
Tabelle 15: AdminPKI BluePrint OIDs.....	19
Tabelle 16: AdminPKI BluePrint OIDs.....	19
Tabelle 17: AdminPKI BluePrint OIDs.....	20
Tabelle 187: Swiss Government Regular CA 01 OIDs	20
Tabelle 187: Swiss Government aRegular CA 01 OIDs	20
Tabelle 198: Swiss Government aRegular CA 01 OIDs	21

--- Ende des Dokumentes ---